

- [1] F. Forouzan, L. Borasi, E. Vuorinen, F. Mücklich, Process control maps to design an ultra-high strength-ductile steel, *Mater. Sci. Technol.* 35 (2019) 1173–1184.
- [2] S. Suarez, R. Puyol, C. Schäfer, F. Mücklich, Carbon Nanotube-reinforced Metal Matrix Composites as Novel Electrodes for Low-voltage Switching Applications: A Surface Degradation Analysis, in: 2019 IEEE Holm Conf. Electr. Contacts, 2019: pp. 135–141.
- [3] A. Rosenkranz, P.G. Grützmacher, K. Murzyn, C. Mathieu, F. Mücklich, Multi-scale surface patterning to tune friction under mixed lubricated conditions, *Appl. Nanosci.* (2019) 1–12.
- [4] J. Gola, J. Webel, D. Britz, A. Guitar, T. Staudt, M. Winter, F. Mücklich, Objective microstructure classification by support vector machine (SVM) using a combination of morphological parameters and textural features for low carbon steels, *Comput. Mater. Sci.* 160 (2019) 186–196.
- [5] C. de Melo, M. Jullien, Y. Battie, A. En Naciri, J. Ghanbaja, F. Montaigne, J.-F. Pierson, F. Rigoni, N. Almqvist, A. Vomiero, others, Semi-transparent p-Cu<sub>2</sub>O/n-ZnO nanoscale-film heterojunctions for photodetection and photovoltaic applications, *ACS Appl. Nano Mater.* 2 (2019) 4358–4366.
- [6] S.M. Koch, K. Siems, D. Müller, F. Mücklich, E. Grohmann, R.L. Mancinelli, J. Krause, R. Demets, N. Caplin, A. Koehler, Others, Wie können nanostrukturierte und bio-inspirierte Oberflächen zur Bekämpfung von gefährlichen Keimen beitragen?, (2019).
- [7] I. El Azhari, J. Barrirero, J. Garcia, F. Soldera, L. Llanes, F. Mücklich, Atom Probe Tomography investigations on grain boundary segregation in polycrystalline Ti (C, N) and Zr (C, N) CVD coatings, *Scr. Mater.* 162 (2019) 335–340.
- [8] K. Siems, D. Müller, F. Mücklich, E. Grohmann, R.L. Mancinelli, J. Krause, R. Demets, N. Caplin, A. Koehler, A. Tortora, Others, Microbial biofilms in space--Evaluating copper-based antimicrobial surfaces in the upcoming ESA space experiment BIOFILMS, (2019).
- [9] A.B.B. Chaar, B. Syed, T.-W. Hsu, M. Johansson-Jöesaar, J.M. Andersson, G. Henrion, L.J.S. Johnson, F. Mücklich, M. Odén, The Effect of Cathodic Arc Guiding Magnetic Field on the Growth of (Ti<sub>0.36</sub>Al<sub>0.64</sub>) N Coatings, *Coatings.* 9 (2019) 660.
- [10] J. Luo, C. Hein, J.-F. Pierson, F. Mücklich, Localised corrosion attacks and oxide growth on copper in phosphate-buffered saline, *Mater. Charact.* 158 (2019) 109985.
- [11] J. Luo, C. Hein, J.-F. Pierson, F. Mücklich, Early-stage corrosion, ion release, and the antibacterial effect of copper and cuprous oxide in physiological buffers: Phosphate-buffered saline vs Na-4-(2-hydroxyethyl)-1-piperazineethanesulfonic acid, *Biointerphases.* 14 (2019) 61004.
- [12] J. Barrirero, C. Pauly, M. Engstler, J. Ghanbaja, N. Ghafoor, J. Li, P. Schumacher, M. Odén, F. Mücklich, Eutectic modification by ternary compound cluster formation in Al-Si alloys, *Sci. Rep.* 9 (2019) 1–10.

- [13] P.G. Grützmacher, S. Rammacher, D. Rathmann, C. Motz, F. Mücklich, S. Suarez, Interplay between microstructural evolution and tribo-chemistry during dry sliding of metals, *Friction*. 7 (2019) 637–650.
- [14] F. Forouzan, L. Borasi, E. Vuorinen, F. Mücklich, Optimization of quenching temperature to minimize the micro segregation induced banding phenomena in quenching and partitioning (Q&P) steels, *Steel Res. Int.* 90 (2019) 1800281.
- [15] A.E. Giba, P. Pigeat, S. Bruyere, H. Rinnert, F. Soldera, F. Mücklich, R. Gago, D. Horwat, Ultraviolet to infrared downshifting in Ce and Yb co-doped aluminum oxynitride thin films, *J. Phys. D. Appl. Phys.* 52 (2019) 285105.
- [16] A.M. Manzoni, S. Haas, J.M. Yu, H.M. Daoud, U. Glatzel, H. Aboufadel, F. Mücklich, R. Duran, G. Schmitz, D.M. Töbrens, others, Evolution of  $\gamma/\gamma'$  phases, their misfit and volume fractions in Al<sub>10</sub>Co<sub>25</sub>Cr<sub>8</sub>Fe<sub>15</sub>Ni<sub>36</sub>Ti<sub>6</sub> compositionally complex alloy, *Mater. Charact.* 154 (2019) 363–376.
- [17] K. Aristizabal, A. Katzensteiner, M. Leoni, F. Mücklich, S. Suarez, Evolution of the lattice defects and crystalline domain size in carbon nanotube metal matrix composites processed by severe plastic deformation, *Mater. Charact.* 154 (2019) 344–352.
- [18] K.M. Calamba, J. Barrirero, M.P.J. Jõesaar, S. Bruyère, R. Boyd, J.F. Pierson, A. Le Febvrier, F. Mücklich, M. Odén, Growth and high temperature decomposition of epitaxial metastable wurtzite (Ti<sub>1-x</sub>, Al<sub>x</sub>) N (0001) thin films, *Thin Solid Films*. 688 (2019) 137414.
- [19] T. Jung, J. Görlitz, B. Kambs, C. Pauly, N. Raatz, R. Nelz, E. Neu, A.M. Edmonds, M. Markham, F. Mücklich, others, Spin measurements of NV centers coupled to a photonic crystal cavity, *APL Photonics*. 4 (2019) 120803.
- [20] M.A. Guitar, A. Scheid, D. Britz, F. Mücklich, Evaluation of the etching process for analysis of secondary carbides in HCCI by optical and confocal laser microscopy, *Pract. Metallogr.* 56 (2019) 246–261.
- [21] A. Rosenkranz, P.G. Grützmacher, R. Espinoza, V.M. Fuenzalida, E. Blanco, N. Escalona, F.J. Gracia, R. Villarroel, L. Guo, R. Kang, others, Multi-layer Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>-nanoparticles (MXenes) as solid lubricants--Role of surface terminations and intercalated water, *Appl. Surf. Sci.* 494 (2019) 13–21.
- [22] M. Marian, P. Grützmacher, A. Rosenkranz, S. Tremmel, F. Mücklich, S. Wartzack, Designing surface textures for EHL point-contacts-Transient 3D simulations, meta-modeling and experimental validation, *Tribol. Int.* 137 (2019) 152–163.
- [23] P.G. Grützmacher, A. Rosenkranz, A. Szurdak, M. Grüber, C. Gachot, G. Hirt, F. Mücklich, Multi-scale surface patterning--an approach to control friction and lubricant migration in lubricated systems, *Ind. Lubr. Tribol.* (2019).
- [24] J. Luo, C. Hein, J. Ghanbaja, J.-F. Pierson, F. Mücklich, Bacteria accumulate copper ions and inhibit oxide formation on copper surface during antibacterial efficiency test, *Micron*. 127 (2019) 102759.

- [25] J. Luksch, A. Jung, C. Pauly, C. Motz, F. Mücklich, F. Schaefer, Effect of Pretreatment on Interface Stability and Morphology of Ni/Al Hybrid Foams by in situ Microcantilever Fracture Experiment, *Procedia Struct. Integr.* 17 (2019) 206–213.
- [26] H. Aboufadel, F. Mücklich, Atomic-scale characterization of diffusion kinetics in Ru/Al multilayer thin films, *Mater. Lett.* 254 (2019) 344–347.
- [27] K. Pratama, F. Kunz, L. Lindner, J. Schmauch, F. Mücklich, C. Motz, Thermal stability, phase decomposition, and micro-fatigue properties of pulsed electrodeposited nanocrystalline Co-Cu, *Procedia Struct. Integr.* 23 (2019) 366–371.
- [28] K. Siems, D. Müller, F. Mücklich, E. Grohmann, M. Laue, R.L. Mancinell, J. Krause, R. Demets, N. Caplin, A. Koehler, Others, *Staphylococcus capitis* subsp. *capitis* ISS isolate as a model organism for evaluating antimicrobial surfaces within the upcoming space flight experiment BIOFILMS, (2019).
- [29] D. Britz, Y. Steimer, F. Mücklich, A New Approach for Color Metallography: Through Controlled Conditions to Objective Microstructure Analysis of Low-Carbon Steels by LePera-Etching, in: 100 Years E04 Dev. Metallogr. Stand., ASTM International, 2019.
- [30] K.M. Calamba, J.F. Pierson, S. Bruyère, A.L. Febvrier, P. Eklund, J. Barrirero, F. Mücklich, R. Boyd, M.P. Johansson Jøesaar, M. Odén, Dislocation structure and microstrain evolution during spinodal decomposition of reactive magnetron sputtered heteroepitaxial c-(Ti<sub>0.37</sub>, Al<sub>0.63</sub>)N/c-TiN films grown on MgO (001) and (111) substrates, *J. Appl. Phys.* 125 (2019) 105301.
- [31] J. Barrirero, M. Engstler, M. Odén, F. Mücklich, Phase selective sample preparation of Al-Si alloys for Atom Probe Tomography, *Pract. Metallogr.* 56 (2019) 76–90.
- [32] A. Borroto, S. Bruyère, S. Migot, J.F. Pierson, T. Gries, F. Mücklich, D. Horwat, Controlling surface morphology by nanocrystalline/amorphous competitive self-phase separation in thin films: Thickness-modulated reflectance and interference phenomena, *Acta Mater.* 181 (2019) 78–86.
- [33] B. Lechthaler, G. Ochs, F. Mücklich, M. Dienwiebel, Evolution of the true contact area of laser textured tungsten under dry sliding conditions, *Front. Mech. Eng.* 5 (2019) 3.
- [34] H. Aboufadel, F. Seifried, M. Stueber, F. Mücklich, Interdiffusion in as-deposited Ni/Ti multilayer thin films analyzed by atom probe tomography, *Mater. Lett.* 236 (2019) 92–95.
- [35] J.J. Roa, S. Suarez, A. Guitar, G. Fargas, A. Mateo, Geometrically Necessary Dislocations on Plastic Deformation of Polycrystalline TRIP Steel, *Crystals.* 9 (2019) 289.
- [36] A. Katzensteiner, T. Müller, K. Kormout, K. Aristizabal, S. Suarez, R. Pippan, A. Bachmaier, Influence of Processing Parameters on the Mechanical Properties of HPT-Deformed Nickel/Carbon Nanotube Composites, *Adv. Eng. Mater.* 21 (2019) 1800422.
- [37] J. Roa, S. Suarez, H. Yang, G. Fargas, A. Guitar, E. Rayón, I. Green, A. Mateo, Influence of the crystallographic orientation on the yield strength and deformation

- mechanisms of austenitic grains in metastable stainless steels investigated by spherical nanoindentation, *Steel Res. Int.* 90 (2019) 1800425.
- [38] T. MacLucas, S. Suarez, On the Solid Lubricity of Electrophoretically Deposited Carbon Nanohorn Coatings, *Lubricants*. 7 (2019) 62.
- [39] S. Suarez, A. Rosenkranz, Carbon Nanomaterials—Promising Solid Lubricants to Tailor Friction and Wear, *Lubricants*. 7 (2019) 51.
- [40] K. Aristizabal, A. Tayrac, A. Katzensteiner, A. Bachmaier, S. Suarez, Friction and Tribo-Chemical Behavior of SPD-Processed CNT-Reinforced Composites, *Lubricants*. 7 (2019) 75.
- [41] S. Montecinos, P. Klimek, M. Sláma, S. Suarez, S. Simison, Corrosion behavior of a  $\beta$  CuAlBe shape memory alloy containing stress induced martensite, *Appl. Surf. Sci.* 466 (2019) 165–170.
- [42] P.R.T. Avila, E.P. da Silva, A.M. Rodrigues, K. Aristizabal, F. Pineda, R.S. Coelho, J.L. Garcia, F. Soldera, M. Walczak, H.C. Pinto, On manufacturing multilayer-like nanostructures using misorientation gradients in PVD films, *Sci. Rep.* 9 (2019) 1–10. <https://doi.org/10.1038/s41598-019-52226-1>.
- [43] J. Martin, A. Nominé, V. Ntomprougkidis, S. Migot, S. Bruyère, F. Soldera, T. Belmonte, G. Henrion, Formation of a metastable nanostructured mullite during Plasma Electrolytic Oxidation of aluminium in “soft” regime condition, *Mater. Des.* 180 (2019) 107977. <https://doi.org/10.1016/j.matdes.2019.107977>.
- [44] M. Maril, P. Tobosque, J. Núñez, C.A. Rodriguez, M.P. Delplancke, J.L. Delplancke, M. Yacaman, M.J. Arellano-Jimenez, F. Soldera, C. Carrasco, Synthesis and structural analysis of electrodeposited Pb-Co films for oxygen evolution applications, *Mater. Charact.* 148 (2019) 323–329. <https://doi.org/10.1016/j.matchar.2018.12.031>.
- [45] M. Morán, A.M. Condó, S. Suárez, F. Soldera, N. Haberkorn, Ion implantation inducing two-way shape memory effect in Cu-Al-Ni thin films, *Mater. Lett.* 255 (2019) 1–4. <https://doi.org/10.1016/j.matlet.2019.126569>.
- [46] M. Soldera, Q. Wang, F. Soldera, V. Lang, A. Abate, A.F. Lasagni, Toward High-Throughput Texturing of Polymer Foils for Enhanced Light Trapping in Flexible Perovskite Solar Cells Using Roll-to-Roll Hot Embossing, *Adv. Eng. Mater.* 22 (2020) 1–9. <https://doi.org/10.1002/adem.201901217>.